

Contents

1	Introduction	1
1.1	Preface by Olaf Barthel	1
1.2	Foreword of the Author	2
1.2.1	Acknowledgments	3
1.3	Language and Type Setting Conventions	3
2	Elementary Concepts	5
2.1	Purpose of the dos.library	5
2.2	The DosLibrary Object	5
2.3	Booleans	7
2.4	Pointers and BPTRs	7
2.5	C Strings and BSTRs	8
2.6	Elementary Conversion Functions	9
2.6.1	Convert a String to a Number	9
2.6.2	Print Formatted into a Buffer	10
2.7	Paths	12
2.8	Files	12
2.9	Directories	12
2.10	Locks	12
2.11	Processes	12
2.12	Handlers and File Systems	12
2.13	The AmigaDOS Shell	13
3	Date and Time	15
3.1	Elementary Time and Date Functions	16
3.1.1	Obtaining the Time and Date	16
3.1.2	Comparing two Times and Dates	16
3.1.3	Delaying Program Execution	16
3.2	Conversion into and from Strings	17
3.2.1	Converting a Time and Date to a String	18
3.2.2	Convert a String to a Date and Time	19
4	Paths and File Names	21
4.1	Case Sensitivity and Character Encoding	21
4.2	Maximum Path Length	23
4.3	Devices, Volumes and Assigns	23
4.3.1	Devices	23
4.3.2	Volumes	25
4.3.3	Assigns	25
4.4	Relative and Absolute Paths	26

4.5	Flat vs. Hierarchical File Systems	27
4.6	Locating Files or Directories	27
4.6.1	Open a File from an Overlong File Name	28
5	Files	31
5.1	What are Files?	31
5.2	Interactive vs. non-Interactive Files	31
5.3	Opening and Closing Files	32
5.3.1	Opening Files	32
5.3.2	Closing Files	33
5.4	Unbuffered Input and Output	34
5.4.1	Reading Data	34
5.4.2	Writing Data	34
5.4.3	Adjusting the File Pointer	35
5.4.4	Setting the Size of a File	36
5.5	Interactive File and Handler Support	36
5.5.1	Test whether a File Handle is Interactive	37
5.5.2	Test whether a Path addresses a Handler or File System	37
5.5.3	Test Interactive Files for Availability of Data	38
5.5.4	Setting the Console Buffer Mode	39
5.6	Buffered Input and Output	40
5.6.1	Buffered Read from a File	41
5.6.2	Buffered Write to a File	41
5.6.3	Buffered Write to the Output Stream	42
5.6.4	Adjusting the Buffer	42
5.6.5	Synchronize the File to the Buffer	43
5.6.6	Write a Character Buffered to a File	43
5.6.7	Write a String Buffered to a File	44
5.6.8	Write a String Buffered to the Output Stream	44
5.6.9	Read a Character from a File	44
5.6.10	Read a Line from a File	45
5.6.11	Revert a Single Byte Read	45
5.6.12	Macros for Buffered I/O	45
5.7	Working with File Handles	46
5.7.1	The FileHandle Structure	46
5.7.2	String Streams	47
5.7.3	Cloning File Handles	48
5.7.4	An FSkip() Implementation	49
5.7.5	An FGet() Implementation	50
5.8	Formatted Output	50
5.8.1	Print Formatted using C-Syntax to a File	50
5.8.2	Print Formatted using C-Syntax to the Output Stream	51
5.8.3	BCPL Style Formatted Print to a File	51
5.9	Record Locking	52
5.9.1	Locking a Region of a File	53
5.9.2	Locking Multiple Regions of a File	53
5.9.3	Unlocking a Region of a File	54
5.9.4	Unlocking Multiple Records of a File	54

6 Locks	57
6.1 Obtaining and Releasing Locks	57
6.1.1 Obtaining a Lock from a Path	58
6.1.2 Duplicating a Lock	58
6.1.3 Obtaining the Parent of an Object	59
6.1.4 Creating a Directory	59
6.1.5 Releasing a Lock	59
6.1.6 Changing the Type of a Lock or File Handle	60
6.1.7 Comparing two Locks	60
6.1.8 Compare two Locks for their Device	61
6.2 Locks and Files	62
6.2.1 Duplicate the Implicit Lock of a File	62
6.2.2 Obtaining the Directory a File is Located in	62
6.2.3 Opening a File from a Lock	63
6.3 Retrieve Information on the State of the Medium	64
6.4 The FileLock structure	66
7 Working with Directories	69
7.1 Examining Objects on File Systems	69
7.1.1 Retrieving Information on an Directory Entry	73
7.1.2 Retrieving Information from a File Handle	73
7.1.3 Scanning through a Directory Step by Step	74
7.1.4 Examine Multiple Entries at once	75
7.1.5 Aborting a Directory Scan	78
7.2 Modifying Directory Entries	79
7.2.1 Delete Objects on the File System	79
7.2.2 Rename or Relocate an Object	79
7.2.3 Set the File Comment	80
7.2.4 Setting Protection Bits	80
7.2.5 Set the Modification Date	81
7.2.6 Set User and Group ID	81
7.3 Working with Paths	81
7.3.1 Find the Path from a Lock	82
7.3.2 Find the Path from a File Handle	82
7.3.3 Append a Component to a Path	83
7.3.4 Find the Last Component of a Path	83
7.3.5 Find End of Next-to-Last Component in a Path	83
7.3.6 Extract a Component from a Path	84
7.4 Links	84
7.4.1 Creating Links	86
7.4.2 Resolving Soft Links	87
7.5 Notification Requests	90
7.5.1 Request Notification on File or Directory Changes	90
7.5.2 Canceling a Notification Request	93
8 Administration of Volumes, Devices and Assigns	95
8.1 The Device List and the Mountlist	100
8.1.1 Keywords defining the DosList structure	100
8.1.2 Keywords controlling the FileSysStartupMsg	100
8.1.3 Keywords controlling the Environment Vector	101
8.2 Finding Handler or File System Ports	108

8.2.1	Iterate through Devices Matching a Path	108
8.2.2	Releasing DevProc Information	111
8.2.3	Legacy Handler Port Access	112
8.2.4	Obtaining the Current Console Handler	112
8.2.5	Obtaining the Default File System	113
8.3	Iterating and Accessing the Device List	113
8.3.1	Gaining Access to the Device List	113
8.3.2	Attempting Access to the Device List	114
8.3.3	Release Access to the Device List	115
8.3.4	Iterate through the Device List	115
8.3.5	Find a Device List Entry by Name	116
8.3.6	Accessing Mount Parameters	117
8.4	Adding or Removing Entries to the Device List	119
8.4.1	Adding an Entry to the Device List	119
8.4.2	Removing an Entry from the Device List	120
8.5	Creating and Deleting Device List Entries	121
8.5.1	Creating a Device List Entry	121
8.5.2	Releasing a Device List Entry	122
8.6	Creating and Updating Assigns	122
8.6.1	Create, Update or Remove an Assign	123
8.6.2	Create or Update a Non-Binding Assign	123
8.6.3	Create a Late Binding Assign	124
8.6.4	Add a Directory to a Multi-Assign	125
8.6.5	Remove a Directory from a Multi-Assign	125
8.7	File System Support Functions	126
8.7.1	Adjusting File System Buffers	126
8.7.2	Change the Name of a Volume	126
8.7.3	Initializing a File System	127
8.7.4	Inhibiting a File System	128
9	Pattern Matching	131
9.1	Scanning Directories	132
9.1.1	Starting a Directory Scan	135
9.1.2	Continuing a Directory Scan	136
9.1.3	Terminating a Directory Scan	138
9.2	Matching Strings against Patterns	138
9.2.1	Tokenizing a Case-Sensitive Pattern	138
9.2.2	Tokenizing a Case-Insensitive Pattern	139
9.2.3	Match a String against a Pattern	139
9.2.4	Match a String against a Pattern ignoring Case	140
10	Processes	141
10.1	Creating and Terminating Processes	147
10.1.1	Creating a New Process from a TagList	147
10.1.2	Create a Process (Legacy)	150
10.1.3	Terminating a Process	151
10.2	Process Properties Accessor Functions	152
10.2.1	Retrieve the Process Input File Handle	152
10.2.2	Replace the Input File Handle	152
10.2.3	Retrieve the Output File Handle	152
10.2.4	Replace the Output File Handle	153

10.2.5	Retrieve the Error File Handle	153
10.2.6	Replace the Error File Handle	153
10.2.7	Retrieve the Current Directory	154
10.2.8	Replace the Current Directory	154
10.2.9	Return the Error Code of the Previous Operation, List of Error Codes	154
10.2.10	Setting IoErr	159
10.2.11	Select the Console Handler	159
10.2.12	Select the Default File System	160
10.2.13	Retrieve the Lock to the Program Directory	160
10.2.14	Set the Program Directory	160
10.2.15	Retrieve Command Line Arguments	161
10.2.16	Set the Command Line Arguments	161
11	Binary File Structure	163
11.1	Conventions and Pseudo-Code	164
11.2	Executable File Format	165
11.2.1	HUNK_HEADER	167
11.2.2	HUNK_CODE	168
11.2.3	HUNK_DATA	168
11.2.4	HUNK_BSS	168
11.2.5	HUNK_RELOC32	169
11.2.6	HUNK_RELOC32SHORT	169
11.2.7	HUNK_RELRELOC32	170
11.2.8	HUNK_NAME	171
11.2.9	HUNK_SYMBOL	171
11.2.10	HUNK_DEBUG	172
11.2.11	HUNK_END	173
11.3	The AmigaOS Loader	173
11.3.1	Loading an Executable	173
11.3.2	Loading an Executable with Additional Parameters	174
11.3.3	Loading an Executable through Call-Back Functions	175
11.3.4	Unloading a Binary	176
11.3.5	UnLoading a Binary through Call-Back Functions	176
11.4	Overlays	177
11.4.1	The Overlay File Format	177
11.4.2	The Hierarchical Overlay Manager	179
11.4.3	HUNK_OVERLAY	180
11.4.4	HUNK_BREAK	181
11.4.5	Loading an Overlaid Node	181
11.4.6	Loading an Overlay Node through Call-Back Functions	182
11.4.7	Unloading Overlay Nodes	183
11.4.8	Unloading Overlay Binaries	183
11.4.9	An Implementation of the Hierarchical Overlay Manager	184
11.4.10	The MANX Overlay Manager	188
11.5	Structures within Hunks	191
11.5.1	The Version Cookie	191
11.5.2	The Stack Cookie	192
11.5.3	Extending the Stack Size from the Stack Cookie	192
11.5.4	Runtime binding of BCPL programs	193
11.6	Object File Format	195
11.6.1	HUNK_UNIT	196

11.6.2	HUNK_NAME	196
11.6.3	HUNK_RELOC16	197
11.6.4	HUNK_RELOC8	198
11.6.5	HUNK_DRELOC32	198
11.6.6	HUNK_DRELOC16	199
11.6.7	HUNK_DRELOC8	199
11.6.8	HUNK_EXT	199
11.7	Link Library File Format	202
11.7.1	HUNK_LIB	202
11.7.2	HUNK_INDEX	204
12	Direct Packet Communication	207
12.1	Request an Action from a Handler and Wait for Reply	207
12.2	Asynchronous Packet Interface	208
12.2.1	The DosPacket Structure	209
12.2.2	Send a Packet to a Handler Asynchronously	210
12.2.3	Waiting for a Packet to Return	211
12.2.4	Aborting a Packet	211
12.3	Reply a Packet to its Sender	211
13	Handlers, Devices and File Systems	213
13.1	The Handler Interface	213
13.1.1	Locating a Handler from a Path	213
13.1.2	Starting a Handler	214
13.1.3	Handler Main Processing Loop	216
13.1.4	Handler Shutdown	219
13.2	The CON-Handler	220
13.2.1	CON-Handler Path for Graphical Consoles	220
13.2.2	CON-Handler Path for Serial Consoles	222
13.2.3	CON-Handler Startup and Mount Parameters	223
13.2.4	CON-Handler Buffer Modes	224
13.3	The Port-Handler	228
13.3.1	Port-Handler Path	228
13.3.2	Port-Handler Startup and Mount Parameters	229
13.4	The Queue-Handler	230
13.4.1	Queue-Handler Path	230
13.4.2	Queue-Handler Startup and Mount Parameters	231
13.5	The RAM-Handler	232
13.6	The Fast File System	232
13.6.1	FFS Startup and Mount Parameters	232
13.6.2	The Boot Block	233
13.6.3	Disk Keys and Sectors	235
13.6.4	The Root Block	236
13.6.5	The User Directory Block	238
13.6.6	The File Header Block	241
13.6.7	The Soft and Hard Link Block	243
13.6.8	The File Extension Block	246
13.6.9	The Comment Block	247
13.6.10	The Directory Cache Block	247
13.6.11	The Data Block	249
13.6.12	The Bitmap Block	250

13.6.13	The Bitmap Extension Block	252
13.6.14	The Deleted Block	252
14	Packet Documentation	253
14.1	Packets for File Interactions	253
14.1.1	Opening a File for Shared Access	254
14.1.2	Opening a File for Exclusive Access	255
14.1.3	Opening or Creating a File for Shared Access	256
14.1.4	Opening a File from a Lock	256
14.1.5	Closing a File	257
14.1.6	Reading from a File	258
14.1.7	Writing to a File	259
14.1.8	Adjusting the File Pointer	259
14.1.9	Setting the File Size	260
14.1.10	Locking a Record of a File	261
14.1.11	Release a Record of a File	262
14.2	Packets for Interacting with Locks	262
14.2.1	Obtaining a Lock	263
14.2.2	Duplicating a Lock	264
14.2.3	Finding the Parent of a Lock	264
14.2.4	Duplicating a Lock from a File Handle	265
14.2.5	Finding the Parent Directory of a File Handle	265
14.2.6	Creating a new Directory	266
14.2.7	Comparing two Locks	266
14.2.8	Changing the Mode of a Lock or a File Handle	267
14.2.9	Releasing a Lock	267
14.3	Packets for Examining Objects	268
14.3.1	Examining a Locked Object	268
14.3.2	Scanning Directory Contents	269
14.3.3	Examining Multiple Entries at once	270
14.3.4	Aborting a Directory Scan	272
14.3.5	Examining from a File Handle	273
14.4	Packets for Working with Links	273
14.4.1	Creating Links	274
14.4.2	Resolving a Soft Link	275
14.5	Packets for Adjusting Metadata	280
14.5.1	Renaming or Moving Objects	280
14.5.2	Deleting an Object	281
14.5.3	Changing the Protection Bits	282
14.5.4	Setting the Comment to an Object	283
14.5.5	Setting the Creation Date of an Object	283
14.5.6	Setting the Owner of an Object	284
14.6	Packets for Starting and Canceling Notification Requests	285
14.6.1	Registering a Notification Request	285
14.6.2	Canceling a Notification Request	287
14.7	Packets Operating on Entire Volumes	287
14.7.1	Determining the Currently Inserted Volume	287
14.7.2	Retrieving Volume Information from a Lock	288
14.7.3	Retrieving Information on the Currently Inserted Volume	289
14.7.4	Relabeling a Volume	290
14.7.5	Initializing a New File System	290

14.7.6	Make a Copied Disk Unique	291
14.7.7	Write Protecting a Volume	292
14.8	Packets for Interactive Handlers	292
14.8.1	Waiting for Input Becoming Available	293
14.8.2	Setting the Line Buffer Mode	293
14.8.3	Retrieving IORequest and Window Pointer from the Console	294
14.8.4	Releasing Console Resources	298
14.8.5	Stack a Line at the Top of the Output Buffer	299
14.8.6	Queue a Line at the End of the Output Buffer	299
14.8.7	Force Characters into the Input Buffer	300
14.8.8	Drop all Stacked and Queued Lines in the Output Buffer	301
14.8.9	Bring the Console Window to the Foreground	301
14.8.10	Change the Target Port to Receive Break Signals	302
14.9	Packets Controlling the Handler in Total	303
14.9.1	Adjusting the File System Cache	303
14.9.2	Inhibiting the File System	303
14.9.3	Check if a Handler is a File System	304
14.9.4	Write out all Pending Modifications	305
14.9.5	Shutdown a Handler	305
14.9.6	Do Nothing	306
14.10	Handler Internal Packets	307
14.10.1	Receive a Returning Read	307
14.10.2	Receive a Returning Write	307
14.10.3	Receive a Returning Timer Request	307
14.11	Obsolete and Third-Party Packets	308
15	The AmigaDOS Shell	309
15.1	The Shell Syntax	309
15.1.1	Input/Output Redirection	309
15.1.2	Compound Commands and Binary Operators	311
15.1.3	Unary Shell Operators	311
15.1.4	Quoting and Escaping	312
15.1.5	Variables and Variable Expansion	314
15.1.6	Pre-defined Shell Variables, Configuring the Shell	314
15.1.7	Backtick Expansion	315
15.1.8	Alias Substitution	316
15.1.9	Command Location and Execution	316
15.1.10	The Execute Command	317
15.2	Creating and Controlling the Shell	320
15.2.1	Create New Shells and Execute Scripts	320
15.2.2	Execute Shell Scripts (Legacy)	324
15.2.3	Run a Command Overloading the Calling Process	325
15.2.4	Checking for Signals	326
15.2.5	Request a Function of the Shell	326
15.2.6	Find a Shell Process by Task Number	327
15.2.7	Retrieve the Size of the Process Table	328
15.3	The CLI Structure	328
15.3.1	Obtaining the Name of the Current Directory	328
15.3.2	Set the Current Directory Name	329
15.3.3	Obtaining the Current Program Name	329
15.3.4	Set the Current Program Name	330

15.3.5	Obtaining the Shell Prompt	330
15.3.6	Setting the Shell Prompt	331
15.3.7	Retrieving the CLI Structure	331
15.4	Accessing Shell Variables	334
15.4.1	Reading a Shell Variable	334
15.4.2	Setting a Shell Variable	335
15.4.3	Finding a Shell Variable	336
15.4.4	Deleting a Shell Variable	337
15.5	Command Line Argument Parsing	338
15.5.1	Parsing Command Line Arguments	338
15.5.2	Releasing Argument Parser Resources	341
15.5.3	Reading a Single Argument from the Command Line	342
15.5.4	Find an Argument in a Template	343
15.6	Resident Segments	343
15.6.1	Find a Resident Segment by Name	345
15.6.2	Adding a Resident Segment	345
15.6.3	Removing a Resident Segment	346
15.7	Writing Custom Shells	346
15.7.1	Initializing a new Shell	349
16	Miscellaneous Functions	355
16.1	Object Constructors and Destructors	355
16.1.1	Allocating a DOS Object	355
16.1.2	Releasing a DOS Object	357
16.2	Reporting Errors	357
16.2.1	Display an Error Requester	357
16.2.2	Receive Information when a Volume is Requested	359
16.2.3	Generating an Error Message	359
16.2.4	Printing an Error Message	360
16.2.5	Printing a String to the Error Stream	360
17	The DOS Library	363
17.1	The Library Structure	363
17.2	The Root Node	364
17.3	The DosInfo Structure	366
17.4	The AmigaDOS Boot Process	367
17.4.1	The System-Startup Module	367